


# DA 7/7

## cod. 7133A05


Watt: 147  
 Poles: 4P  
 Speed: 1V  
 Power supply: 220/240V 50 Hz  
 Prot IP: 20  
 Speed control: MVL 600  
 AMP Max: 1,3  
 RPM speed: 1300  
 Temp. Max C°: 45



# DA 7/7

## cod. 713306

Watt: 300  
 Poles: 4P  
 Speed: 1V  
 Power supply: 230V 50 Hz  
 Prot IP: 30  
 Speed control: MVL 600  
 AMP Max: 2,5  
 RPM speed: 1300  
 Temp. Max C°: 70



# DA 9/9

## cod. 713328

Watt: 245

Poles: 6P

Speed: 1V

Power supply: 230V 50 Hz


Prot IP: 20

Speed control: MVL 600

AMP Max: 2,7

RPM speed: 880

Temp. Max C°: 45



# DA 9/9

## cod. 713339

Watt: 245

Poles: 6P

Speed: 1V

Power supply: 230V 50 Hz


Prot IP: 30

Speed control: MVL 600

AMP Max: 2,3

RPM speed: 860


Temp. Max C°: 70



# DA 9/9

## cod. 713335


Watt: 245  
 Poles: 6P  
 Speed: 3V  
 Power supply: 230V 50/60 Hz  
 Prot IP: 20  
 Speed control: Switch  
 AMP Max: 2,6  
 RPM speed: 890  
 Temp. Max C°: 45



# DA 9/9

## cod. 713332

Watt: 368  
 Poles: 4P  
 Speed: 1V  
 Power supply: 230V 50 Hz  
 Prot IP: 30  
 Speed control: MVL 1000  
 AMP Max: 3,2  
 RPM speed: 1380  
 Temp. Max C°: 70



# DA 9/9

## cod. 713336

Watt: **373**

Poles: **4P**

Speed: **3V**

Power supply: **230V 50 Hz**


Prot IP: **20**

Speed control: **Switch**

AMP Max: **3,2**

RPM speed: **1300**

Temp. Max C°: **45**



# DA 9/9

## cod. 713337C

Watt: **550**

Poles: **4P**

Speed: **1V**

Power supply: **230V 50 Hz**


Prot IP: **30**

Speed control: **MVL 1800**

AMP Max: **3,8**

RPM speed: **1380**



Temp. Max C°: **70**



# DA 9/9

## cod. 713340

Watt: **550**  
 Poles: **4P**  
 Speed: **3V**  
 Alimentazione: **230V 50 Hz**  
 Prot IP: **20**  
 Speed control: **Switch**  
 AMP Max: **5**  
 RPM speed: **1250**  
 Temperatura Max C°: **45**





PORTATA - VOLUME FLOW Q (m<sup>3</sup>/h)

# DAT 9/9

## cod. 7133T01CDFR

Watt: **420**  
 Poles: **4P**  
 Speed: **1V**  
 Power supply: **230V 50 Hz**  
 Prot IP: **20**  
 Speed control: **MVL 1000**  
 AMP Max: **3,3**  
 RPM speed: **1280**  
 Temp. Max C°: **45**




PORTATA - VOLUME FLOW Q (m<sup>3</sup>/h)

# DA 10/8

## cod. 713353C


Watt: **550**  
 Poles: **4P**  
 Speed: **3V**  
 Power supply: **230V 50 Hz**  
 Prot IP: **20**  
 Speed control: **Switch**  
 AMP Max: **5**  
 RPM speed: **1250**  
 Temp. Max C°: **45**



# DA 10/10


## cod. 712309

Watt: **245**  
 Poles: **6P**  
 Speed: **1V**  
 Power supply: **230V 50 Hz**  
 Prot IP: **20**  
 Speed control: **MVL 600**  
 AMP Max: **2,7**  
 RPM speed: **880**  
 Temp. Max C°: **45**




# DA 10/10 cod. 713369

Watt: **245**  
 Poles: **6P**  
 Speed: **1V**  
 Power supply: **230V 50 Hz**  
 Prot IP: **30**  
 Speed control: **MVL 600**  
 AMP Max: **2,3**  
 RPM speed: **890**  
 Temp. Max C°: **70**



# DA 10/10 cod. 713370

Watt: **245**  
 Poles: **6P**  
 Speed: **3V**  
 Power supply: **230V 50/60 Hz**  
 Prot IP: **20**  
 Speed control: **Switch**  
 AMP Max: **2,6**  
 RPM speed: **890**  
 Temp. Max C°: **45**



## DA 10/10 cod. 713375

Watt: **373**

Poles: **6P**

Speed: **1V**

Power supply: **230V 50 Hz**


Prot IP: **20**

Speed control: **MVL 1000**

AMP Max: **4**

RPM speed: **850**

Temp. Max C°: **45**



PORTATA - VOLUME FLOW Q (m³/h)

## DA 10/10 cod. 713373C

Watt: **550**

Poles: **4P**

Speed: **1V**

Power supply: **230V 50 Hz**


Prot IP: **30**

Speed control: **MVL 1800**

AMP Max: **3,8**

RPM speed: **1380**

Temp. Max C°: **70**




PORTATA - VOLUME FLOW Q (m³/h)




# DA 10/10 cod. 713378C

Watt: **550**  
 Poles: **4P**  
 Speed: **3V**  
 Power supply: **230V 50 Hz**  
 Prot IP: **20**  
 Speed control: **Switch**  
 AMP Max: **5**  
 RPM speed: **1250**  
 Temp. Max C°: **45**



# DA 10/10 cod. 713376C

Watt: **550**  
 Poles: **4P**  
 Speed: **1V**  
 Power supply: **220/240V 50 Hz**  
 Prot IP: **30**  
 Speed control: **MVL 1800**  
 AMP Max: **3,8**  
 RPM speed: **1200**  
 Temp. Max C°: **70**



# DA 10/10

## cod. 713379

Watt: **550**

Poles: **6P**

Speed: **3V**

Power supply: **230V 50 Hz**


Prot IP: **20**

Speed control: **Switch**

AMP Max: **5,5**

RPM speed: **830**

Temp. Max C°: **45**



# DA 12/9

## cod. 713392

Watt: **550**

Poles: **6P**

Speed: **1V**

Power supply: **230V 50 Hz**


Prot IP: **20**

Speed control: **MVL 1800**

AMP Max: **4,5**


RPM speed: **880**

Temp. Max C°: **45**




# DA 12/9 cod. 712311

Watt: 1100  
 Poles: 6P  
 Speed: 1V  
 Power supply: 230/400V 50 Hz  
 Prot IP: 20  
 Speed control: ---  
 AMP Max: 6,3/3,6  
 RPM speed: 920  
 Temp. Max C°: 45



# DA 12/9 cod. 713394

Watt: 1100  
 Poles: 6P  
 Speed: 1V  
 Power supply: 230/400V 50 Hz  
 Prot IP: 30  
 Speed control: ---  
 AMP Max: 6,3/3,6  
 RPM speed: 920  
 Temp. Max C°: 70



# DA 12/12

## cod. 713397

Watt: 570

Poles: 6P

Speed: 1V

Power supply: 230V 50 Hz


Prot IP: 20

Speed control: MVL 1800

AMP Max: 4,5

RPM speed: 880

Temp. Max C°: 45



# DA 12/12

## cod. 713396

Watt: 590

Poles: 6P

Speed: 3V

Power supply: 230V 50 Hz


Prot IP: 20

Speed control: Switch

AMP Max: 4,4

RPM speed: 920

Temp. Max C°: 45



# DA 12/12

## cod. 7133G01CD

Watt: 736

Poles: 6P

Speed: 3V

Power supply: 220/240V 50 Hz


Prot IP: 20

Speed control: Switch

AMP Max: 5,5

RPM speed: 950

Temp. Max C°: 45



# DA 12/12

## cod. 713395C

Watt: 745

Poles: 6P

Speed: 1V

Power supply: 230V 50 Hz


Prot IP: 20

Speed control: MV 3500

AMP Max: 6

RPM speed: 940

Temp. Max C°: 45



# DA 12/12

## cod. 712314

Watt: 800

Poles: 4P

Speed: 3V

Power supply: 230V 50 Hz


Prot IP: 20

Speed control: Switch

AMP Max: 6,5

RPM speed: 1100

Temp. Max C°: 45



# DA 12/12

## cod. 712313

Watt: 1100

Poles: 6P

Speed: 1V

Power supply: 230/400V 50 Hz


Prot IP: 20

Speed control: ---

AMP Max: 6,3/3,6

RPM speed: 920


Temp. Max C°: 45



# DA 12/12

## cod. 713399


Watt: 1100  
 Poles: 6P  
 Speed: 1V  
 Power supply: 230/400V 50 Hz  
 Prot IP: 30  
 Speed control: ---  
 AMP Max: 6,3/3,6  
 RPM speed: 920  
 Temp. Max C°: 70



# DA 15/15

## cod. 712365


Watt: 2200  
 Poles: 6P  
 Speed: 1V  
 Power supply: 230/400V 50 Hz  
 Prot IP: 55  
 Speed control: ---  
 AMP Max: 11/6,4  
 RPM speed: 920  
 Temp. Max C°: 70



# DA-R 18/18

## cod. 712398

Watt: 4000  
 Poles: 6P  
 Speed: 1V  
 Poer supply: 400V 50 Hz  
 Prot IP: 55  
 Speed control: ---  
 AMP Max: 12  
 RPM speed: 945  
 Temp. Max C°: 70



## DA

### Ingombri *Dimensions*

## DA 7/7

