

Serijsa MAX-TEMP (CTHT/CTHB-CTVT/CTVB)



Modeli sa horizontalnim izbacivanjem vazduha, CTH(B/T).



Modeli sa vertikalnim izbacivanjem vazduha CTV(B/T).

Centrifugalni ventilator sa horizontalnim izduvanjem za rad na **400°C/2h** ⁽¹⁾, baza od galvanizovanog čelika, kapa od aluminijuma, **sa unazad zakrivljenim lopaticama i zaštitnom mrežom**, motor **IP55, klasa F**, autohlađenje, sa **kugličnim ležajima** sa niskim stepenom trenja.

⁽¹⁾ Osim kod modela 140, 180 i 200.

Motori:

Dostupne su verzije sa 4, 6, i 8 polova, u zavisnosti od verzije.

Dvobrzinske verzije (4/8 i 6/12 pola).

Napajanje:

Monofazno 230V-50Hz Trofazno 400V-50Hz (Pogledati tabelu sa karakteristikama.)

Mogućnost regulacije: do modela 400.

Kod modela od 450 do 710 sa koristi frekventni konvertor.

Ako se koristi varijacija brzine, električna instalacija mora da ima sistem koji bi omogućavao ventilatoru da u hitnim slučajevima funkcioniše na maksimalnoj brzini.

Dodatne informacije

Modeli 140, 180, 200 i 225 su posebno pogodni za **odimljavanje**.

Rad na 400°C/2h samo kada radi na maksimalnoj brzini.

PRIMENA



CONTINUO

Po normi

EN12101-3

Sertifikat:

0370-CPD-0347

ATEST

Kod	Model	Brzina	Max.snaga motora	Max. jačina struje (A)		Max. protok (m³/h)	Nivo šuma na 2/3 max. protoka (dB(A))		Težina (kg)	Cena 1G
		(o/min)	(W)	pri 230 V	pri 400 V		Usis	Potis		
MODEL SA HORIZONTALNIM IZBACIVANJEM										
TROFAZNI - JEDNOBRZINSKI										
5136032900	CTHT/4-140	1375	60	–	0,17	800	46	52	7	443,00
5136034500	CTHT/4-180	1350	70	–	0,17	990	46	52	8	463,00
5136035200	CTHT/4-200	1340	130	–	0,35	1450	49	55	14	545,00
5136036000	CTHT/6-200	950	80	–	0,24	970	38	45	14	557,00
5136037800	CTHT/4-225 	1360	170	–	0,50	2100	53	59	17	618,00
5136038600	CTHT/6-225 	900	90	–	0,23	1400	42	48	17	660,00
5136039400	CTHT/4-250 	1400	300	–	0,80	3100	57	62	28	696,00
5136040200	CTHT/6-250 	950	100	–	0,41	2000	45	52	28	721,00
5136041000	CTHT/4-315 	1410	620	–	1,50	4900	60	66	32	854,00
5136042800	CTHT/6-315 	900	180	–	0,50	3200	49	55	32	873,00
5136043600	CTHT/4-400 	1350	920	–	1,80	7000	67	73	42	1.014,00
5136044400	CTHT/6-400 	925	350	–	1,00	4500	56	62	42	992,00
5136045100	CTHT/4-450 	1440	2000	–	4,6	10200	71	76	67	1.402,00
5136046900	CTHT/6-450 	940	850	–	3,50	6900	59	66	67	1.327,00
5136028700	CTHT/8-450 	700	700	–	2,1	5000	55	61	67	1.807,00
5136048500	CTHT/6-500 	965	1400	–	4,30	10500	63	69	104	1.986,00
5136049300	CTHT/8-500 	725	770	–	2,40	7500	55	62	104	1.986,00
5136050100	CTHT/6-560 	950	2400	–	5,30	16000	66	73	118	2.093,00
5136051900	CTHT/8-560 	730	1100	–	3,60	11500	58	65	118	2.093,00
5136052700	CTHT/6-630 	950	3700	–	8,3	21000	70	76	156	2.433,00
5136053500	CTHT/8-630 	735	1650	–	4,90	15000	62	69	156	2.433,00
5136054300	CTHT/6-710 	980	6800	–	13,80	28900	77	83	217	3.814,00
5136054400	CTHT/8-710 	730	2900	–	7,20	21700	70	76	226	3.643,00
TROFAZNI - DVOBRZINSKI										
5136327300	CTHT/4/8-225 	1300/700	180/70	–	0,3/0,2	2100/1050	53/38	59/44	17	824,00
5136305900	CTHT/4/8-315 	1400/700	370/230	–	1,1/0,9	4900	60/45	66/51	33	981,00
5136306700	CTHT/4/8-400 	1400/700	1000/260	–	1,8/1,0	7000	67/52	73/58	44	1.131,00
5136300000	CTHT/4/8-450 	1400/700	2400/600	–	6,1/2,5	10200	71/55	76/61	69	1.803,00
5136301800	CTHT/6/12-450 	960/490	500/190	–	2/1	6900	59/44	66/51	72	2.137,00
5136302600	CTHT/6/12-500 	980/490	1520/430	–	4,5/2,2	10500	63/48	69/54	109	2.614,00
5136050200	CTHT/6/12-560 	950/480	2400/640	–	5,6/2,2	16000/7000	66/51	73/58	124	2.800,00
5136304200	CTHT/6/12-630 	960/480	4100/730	–	8,1/2,6	21000	70/55	76/61	161	3.593,00
5136054500	CTHT/6/12-710 	950/450	6700/850	–	14,1/5,4	28900/15000	77/62	83/68	226	5.033,00

* PAŽNJA: Vrednosti za nivo šuma, su srednje vrednosti izražene u dB(A) prilikom izbacivanja vazduha, pri max.protoku ili pri 2/3 max. protoka.

Kod	Model	Brzina	Max.snaga	Max. jačina struje (A)		Max. protok (m³/h)	Nivo šuma do 2/3 max. protoka (dB(A))		Težina (kg)	Cena 1G
		(o/min)	(W)	pri 230 V	pri 400 V		Usis	Potis		
MONOFAZNI										
5136201000	CTHB/4-140	1370	60	0,32	–	800	46	52	7	446,00
5136203600	CTHB/4-180	1330	70	0,33	–	990	46	52	8	484,00
5136204400	CTHB/4-200	1320	120	0,60	–	1450	49	55	14	565,00
5136205100	CTHB/6-200	940	80	0,40	–	970	38	45	14	610,00
5136206900	CTHB/4-225	1350	170	0,90	–	2100	53	59	17	663,00
5136207700	CTHB/6-225	890	90	0,40	–	1400	42	48	17	706,00
5136208500	CTHB/4-250	1320	280	1,40	–	3100	57	62	28	760,00
5136209300	CTHB/6-250	940	100	0,57	–	2000	45	52	28	806,00
5136210100	CTHB/4-315	1375	590	2,70	–	4900	60	66	32	889,00
5136211900	CTHB/6-315	840	170	0,81	–	3200	49	55	32	901,00
5136212700	CTHB/4-400	1380	1100	5,30	–	7000	67	73	42	1.088,00
5136213500	CTHB/6-400	950	350	1,60	–	4500	56	62	42	1.064,00
MODELI SA VERTIKALNIM IZBACIVANJEM										
MONOFAZNI										
5136232500	CTVB/4-140	1375	60	0,3	–	725	46	49	10	536,00
5136234100	CTVB/4-180	1330	60	0,3	–	830	46	49	10	601,00
5136235800	CTVB/4-200	1330	100	0,60	–	1200	49	53	17	660,00
5136236600	CTVB/6-200	940	80	0,40	–	900	38	42	17	704,00
5136237400	CTVB/4-225	1350	130	0,71	–	1900	53	56	19	747,00
5136238200	CTVB/6-225	890	90	0,40	–	1300	41	45	19	776,00
5136239000	CTVB/4-250	1325	325	1,6	–	2800	56	60	35	882,00
5136240800	CTVB/6-250	940	100	0,57	–	1850	45	49	35	911,00
5136241600	CTVB/4-315	1390	570	2,70	–	4200	60	64	39	1.006,00
5136242400	CTVB/6-315	870	160	0,80	–	2800	48	53	39	1.019,00
5136243200	CTVB/4-400	1390	1100	5,30	–	6250	67	70	50	1.208,00
5136244000	CTVB/6-400	960	340	1,60	–	4300	55	59	50	1.164,00
TROFAZNI - JEDNOBRZINSKI										
5136062600	CTVT/4-140	1400	60	–	0,18	725	46	49	10	502,00
5136064200	CTVT/4-180	1350	60	–	0,18	830	46	49	10	564,00
5136065900	CTVT/4-200	1340	130	–	0,44	1200	49	53	17	637,00
5136066700	CTVT/6-200	950	80	–	0,24	900	38	42	17	651,00
5136067500	CTVT/4-225	1360	180	–	0,47	1900	53	56	19	741,00
5136068300	CTVT/6-225	900	90	–	0,23	1300	41	45	19	701,00
5136069100	CTVT/4-250	1400	300	–	0,8	2800	56	60	35	812,00
5136070900	CTVT/6-250	950	100	–	0,41	1850	45	49	35	823,00
5136071700	CTVT/4-315	1410	400	–	1,4	4200	60	64	39	914,00
5136072500	CTVT/6-315	910	160	–	0,44	2800	48	53	39	940,00
5136073300	CTVT/4-400	1330	1000	–	1,80	6250	67	70	50	1.111,00
5136074100	CTVT/6-400	930	350	–	1,00	4300	55	59	50	1.108,00
5136075800	CTVT/4-450	1440	2100	–	4,3	9850	70	74	75	1.871,00
5136076600	CTVT/6-450	950	800	–	3,5	5900	59	63	75	1.919,00
5136085700	CTVT/8-450	690	700	–	2,25	4800	55	59	75	2.117,00
5136078200	CTVT/6-500	975	1500	–	4,3	9500	62	66	115	2.180,00
5136083200	CTVT/8-500	700	770	–	2,50	7100	54	58	115	2.151,00
5136079000	CTVT/6-560	950	2400	–	5,50	13000	66	70	129	2.409,00
5136080800	CTVT/8-560	730	1100	–	3,60	10000	58	62	129	2.369,00
5136081600	CTVT/6-630	950	3900	–	8,3	19500	70	74	168	2.757,00
5136082400	CTVT/8-630	735	1650	–	4,9	13500	61	66	168	2.712,00
5136897800	CTVT/4-631	1480	7500	–	12,4	20700	-	85	180	6.402,00
5136081700	CTVT/6-710	980	7250	–	13,6	25200	74	72	229	4.701,00
5136894400	CTVT/8-710	730	3160	–	7,1	19100	67	64	238	4.478,00
TROFAZNI - DVOBRZINSKI										
5136897800	CTVT/4/6-631 7,5	1.480	6.000/2.200	–	12,44/1,60	20.728	–	–	180	6.529,00
5136897900	CTVT/4/6-631 7,5 INS	1.480	6.000/2.200	–	12,44/1,60	20.728	–	–	224	8.140,00
5136897600	CTVT/4/6-632 5,5	1.465	6.000/2.200	–	10,83/1,40	18.010	–	–	177	6.223,00
5136897700	CTVT/4/6-632 5,5 INS	1.465	6.000/2.200	–	10,83/1,40	18.010	–	–	221	7.667,00
5136898600	CTVT/4/6-711 15	1.480	14.000/4.500	–	29,78/3,70	32.493	–	–	303	9.565,00
5136898700	CTVT/4/6-711 15 INS	1.480	14.000/4.500	–	29,78/3,70	32.493	–	–	393	11.405,00
5136898400	CTVT/4/6-712 11	1.480	14.000/4.500	–	21,33/2,70	26.029	–	–	267	9.061,00
5136898500	CTVT/4/6-712 11 INS	1.480	14.000/4.500	–	21,33/2,70	26.029	–	–	357	10.630,00
5136899400	CTVT/4/6-801 22	1.485	20.000/8.500	–	47,34/5,90	44.199	–	–	376	11.310,00
5136899500	CTVT/4/6-801 22 INS	1.485	20.000/8.500	–	47,34/5,90	44.199	–	–	507	12.975,00
5136899200	CTVT/4/6-802 18,5	1.480	20.000/8.500	–	33,91/4,20	34.929	–	–	361	10.765,00
5136899300	CTVT/4/6-802 18,5 INS	1.480	20.000/8.500	–	33,91/4,20	34.929	–	–	492	12.178,00

* PAŽŅĀ: Vrednosti za nivo šuma, su srednje vrednosti izražene u dB(A) prilikom izbacivanja vazduha, pri max. protoku ili pri 2/3 max. protoka.

Kod	Model	Brzina	Max.snaga	Max. jačina struje (A)		Max. protok (m³/h)	Nivo šuma do 2/3 max. protoka (dB(A))		Težina (kg)	Cena 1G
		(o/min)	(W)	pri 230 V	pri 400 V		Usis	Potis		
TROFAZNI - DVOBRZINSKI										
	CTVT/4/6-631 6/2,2	1.480	6.000/2.200	–	12,44/1,60	20.728	–	–	180	6.233,00
	CTVT/4/6-632 6/2,2	1.465	6.000/2.200	–	10,83/1,40	18.010	–	–	177	6.216,00
	CTVT/4/6-711 14/4,5	1.480	14.000/4.500	–	29,78/3,70	32.493	–	–	303	9.261,00
	CTVT/4/6-712 14/4,5	1.480	14.000/4.500	–	21,33/2,70	26.029	–	–	267	9.087,00
	CTVT/4/6-801 20/8,5	1.485	20.000/8.500	–	47,34/5,90	44.199	–	–	376	10.995,00
	CTVT/4/6-802 20/8,5	1.480	20.000/8.500	–	33,91/4,20	34.929	–	–	361	10.883,00
5136336400	CTVT/4/8-225 	1300/700	180/70	–	0,3/0,2	2100/1050	53/38	59/44	17	1.046,00
5136337200	CTVT/4/8-315 	1400/700	370/230	–	1,1/0,9	4200/2100	60/45	64/49	40	1.326,00
5136338000	CTVT/4/8-400 	1400/700	560/260	–	1,3/1,0	6250/3200	67/52	70/55	52	1.486,00
5136331500	CTVT/4/8-450 	1400/700	2400/600	–	6,1/2,5	9850/4500	70/55	74/59	77	2.337,00
	CTVT/4/8-631 7,2/1,8	1.480	7.200/1.800	–	12,44/1,60	20.728	–	–	180	6.185,00
	CTVT/4/8-632 5/1,3	1.465	5.000/1.300	–	10,83/1,40	18.010	–	–	177	5.878,00
	CTVT/4/8-711 14/3,5	1.480	14.000/3.500	–	29,78/3,70	32.493	–	–	303	9.158,00
	CTVT/4/8-712 11/3	1.480	11.000/3.000	–	21,33/2,70	52.059	–	–	267	8.536,00
	CTVT/4/8-801 20/5	1.485	20.000/5.000	–	47,34/5,90	44.199	–	–	376	10.861,00
	CTVT/4/8-802 17/4,3	1.480	17.000/4.300	–	33,91/4,20	34.929	–	–	361	10.643,00
5136332300	CTVT/6/12-450 	960/490	500/190	–	2/1	5900/2800	59/44	63/48	80	2.586,00
5136333100	CTVT/6/12-500 	980/490	1520/430	–	4,5/2,2	9500/4800	62/47	66/51	134	2.958,00
5136325700	CTVT/6/12-560 	960/480	2400/640	–	5,6/2,2	13000/6400	66/51	70/55	134	3.461,00
5136335600	CTVT/6/12-630 	960/480	4100/730	–	8,1/2,6	19500/9500	70/54	74/59	173	4.841,00
5136081800	CTVT/6/12-710	950/450	7300/435	–	14/5,4	25200/12700	59/44	63/48	80	6.241,00

* PAŽNJA: Vrednosti za nivo šuma, su srednje vrednosti izražene u dB(A) prilikom izbacivanja vazduha, pri max. protoku ili pri 2/3 max. protoka.

Oprema za montažu serija MAX-TEMP (CTHB/CTHT-CTVB/CTVT)

	Model	① Adaptirajuće postolje	② Postolje za ravan krov	③ Postolje sa prigušivačem	④ Adaptirajuća ploča	⑤ Nepovratna leptir klapna	⑥ Prirubnica	⑦ Elastična veza	⑧ Adapter za kružni kanal	⑨ Postolje za kosi krov
	140 180	JMS-300	JBS-300	JAA-300	JPA-300	JCA-300	JBR-300	JAЕ-300	JCC-300	BI-3
	200 225	JMS-435	JBS-435	JAA-435	JPA-435	JCA-435	JBR-435	JAЕ-435	JCC-435	BI-4
	250 315	JMS-560	JBS-560	JAA-560	JPA-560	JCA-560-N	JBR-560	JAЕ-560	JCC-560	BI-5
	400	JMS-630	JBS-630	JAA-630	JPA-630	JCA-630-N	JBR-630	JAЕ-630	JCC-630	BI-6
	450	JMS-710	JBS-710	JAA-710	JPA-710	JCA-710-N	JBR-710	JAЕ-710	-	BI-7
	500 560	JMS-905	JBS-905	JAA-905	JPA-905	JCA-905-N	JBR-905	JAЕ-905	-	BI-9
	630	JMS-1100	JBS-1100	JAA-1100	JPA-1100	JCA-1100-N	JBR-1100	JAЕ-1100	-	BI-11

Specijalna oprema za montažu

Kod	Model	Cena 1G
Adaptirajuće postolje		
	5136800900 JMS-300	139,00
	5136801700 JMS-435	150,00
	5136802500 JMS-560	160,00
	5136803300 JMS-630	186,00
	5136804100 JMS-710	195,00
	5136805800 JMS-905	219,00
	5136806600 JMS-1100	282,00
	5136807400 JMS-1250	330,00
Postolje za ravan krov		
	5136810800 JBS-300	134,00
	5136811600 JBS-435	144,00
	5136812400 JBS-560	198,00
	5136813200 JBS-630	206,00
	5136814000 JBS-710	224,00
	5136815700 JBS-905	288,00
	5136816500 JBS-1100	321,00
	5136817300 JBS-1250	406,00
Postolje za kosi krov		
	5416715000 BI-3	436,00
	5416717600 BI-4	463,00
	5416719200 BI-5	485,00
	5416721800 BI-6	507,00
	5416722600 BI-7	556,00
	5416723400 BI-9	573,00
	5416725900 BI-11	612,00
	5416713500 BI-12	694,00

Postolje za kosi krov: Kako bi se odredio odgovarajući model neophodno je odrediti ugao nagiba kućišta i rastojanje između otvora i kućišta.

Kod	Model	Cena 1G
Postolje sa prigušivačem		
	5136861100 JAA-300	323,00
	5136862900 JAA-435	372,00
	5136863700 JAA-560	491,00
	5136864500 JAA-630	526,00
	5136865200 JAA-710	711,00
	5136866000 JAA-905	876,00
	5136867800 JAA-1100	1.105,00
	5136867900 JAA-1250	1.629,00
Adaptirajuća ploča		
	5136821500 JPA-300	27,00
	5136822300 JPA-435	33,00
	5136823100 JPA-560	48,00
	5136824900 JPA-630	63,00
	5136825600 JPA-710	85,00
	5136826400 JPA-905	86,00
	5136827200 JPA-1100	119,00
	5136828000 JPA-1250	211,00
Nepovratna leptir klapna		
	5136849600 JCA-300	82,00
	5136850400 JCA-435	88,00
	5136883500 JCA-560 N	103,00
	5136884300 JCA-630 N	118,00
	5136885000 JCA-710 N	136,00
	5136886800 JCA-905 N	144,00
	5136887600 JCA-1100 N	186,00
	5136888400 JCA-1250 N	317,00
Prirubnica		
	5136840500 JBR-300	14,00
	5136841300 JBR-435	27,00
	5136842100 JBR-560	28,00
	5136843900 JBR-630	30,00
	5136844700 JBR-710	44,00
	5136846200 JBR-905	47,00
	5136845400 JBR-1100	107,00
	5136847000 JBR-1250	116,00
Elastična veza		
	5136831400 JAE-300	76,00
	5136832200 JAE-435	98,00
	5136833000 JAE-560	113,00
	5136834800 JAE-630	117,00
	5136835500 JAE-710	164,00
	5138908500 JAE-905	180,00
	5136837100 JAE-1100	319,00
	5136837100 JAE-1250 N	368,00
Adapter za kružni kanal		
	5136857900 JCC-300	169,00
	5136858700 JCC-435	182,00
	5136859500 JCC-560	191,00
	5136860300 JCC-630	197,00